

CUSTOM DESIGNED, BUDGET PRICED

A STANDARD FLUORESCENT FIXTURE FOR ALL

MODERN LIGHTING INSTALLATIONS

ANGLE-LITE



by Winfield

SOLVE INTERIOR LIGHTING PROBLEMS

with custom designed, scientifically engineered ANGLE-LITES. Designed for vertical or horizontal mounting, ANGLE-LITE illuminates every nook and corner properly. Dozens of applications . . . corner lighting, patterns of light, continuous pattern around room at junction of wall and ceiling, general ceiling illumination . . . and many more. Only diffusing shield is visible . . . unobtrusive ANGLE-LITE enhances any decorative scheme. For an architecturally precise installation . . . at a budget price . . . install ANGLE-LITES anywhere!

ANGLE-LITE IS LOW IN INITIAL COST


It's fabricated by lighting specialists using modern manufacturing methods. Engineered for easy installation and maintenance . . . wireway accessible from front of fixture; electrical components readily reached by removing snap-in Polystyrene diffusing shield; lamps serviced from front of fixture. Low initial cost, low maintenance cost, low installation cost with ANGLE-LITE . . . the modern fluorescent fixture.

Specify ANGLE-LITE for efficient, economical fluorescent lighting . . . for conventional installations plus dozens of unique lighting effects . . . Order ANGLE-LITE!




Display Windows

Radiant lighting compliments merchandise. Install in corners . . . Ceiling uncluttered by unsightly fixtures.



Cocktail Lounges, Bars, Soda Fountains

Glamorize with soft diffused light . . . use with tinted shields or soft-hued colored lamps.



Restaurants and Dining Rooms


Modern lighting for overcounters and booths. Cove lighting effect at one-third the cost.

WINFIELD ELECTRIC COMPANY

1644 North Ada Street

Chicago 22, Illinois

HU mboldt 9-0500



Department Indication and Identification

Use with self-stick letters for department identity, direction signs, merchandising aids (Men's Wear, Cashier, Vegetables, etc.)



Private and General Office Illumination

Mount fixtures along wall for shadowless, glareless illumination. Ceiling is clear of hanging fixtures.



Hospital Bed Lamp

Designed for proper reading light over a raised hospital bed. Floor uncluttered by lamp cords. For indirect general illumination and direct reading light mount two ANGLE-LITES back-to-back above bed.



Corridor Lighting

Alternate ANGLE-LITES on each side of corridors in Schools, Public Building, Institutions, etc., etc.

TYPICAL ANGLE-LITE INSTALLATIONS

HELENA RUBENSTEIN BEAUTY SALON
Chicago, Illinois
ST. JAMES CATHEDRAL
Fresno, California
CIMARRON SCHOOL
Cimarron, Kansas
ERIC STERN STYLE SHOP
Chicago, Illinois
STATE TEACHERS COLLEGE
Bemidji, Minnesota
IBM FIELD HOUSE
New York City, New York
THE STYLE CENTER
Lorain, Ohio
RYNER COAL COMPANY
Chicago, Illinois
ELKS CLUB
Anderson, Indiana



Church

Chapel of the House of the
Soft, even lighting highlights
unobtrusive illumination.

All Winfield
permdner
UL ap

ANGLE

CONTRACTORS at

Specify ANGLE-LITE for all installations
tomize any installation at lower-than-us
assure you of a stock unit to fit any ha
position, in many combinations of sizes

Kitchen—Get more light where needed
built-in lighting. Bank Teller Lighting—M
glare and shadows. Powder Room, Fitt
small rooms where soft diffused light is

WINFIELD ELECT

1644 North

Chicago 22, Illinois

and fixtures for
at mounting
proved

-LITE!

and ARCHITECTS . . .

where diffused lighting is practicable. Cus-
tomal cost. Stock sizes from 14-watt to 40-watt
d-to-light place. Install ANGLE-LITES in any
for better lighting at lower cost.

. . . Modernize with ANGLE-LITE for effect of
ount above teller box in bank . . . eliminate
ng Room, Elevator, Phone Booth—Ideal for
needed. Mount horizontally or vertically.



Lighting

Good Shepherd, Reading, Pa.
altar and sanctuary, provides



Lobby and Foyer Lighting

Proper lighting to accent any decora-
tive scheme . . . for Public
Building, Theaters, Lounges, etc.



Recreation Room

Practical lighting for all rooms with
lower-than-usual ceilings. Wire for
alternate operation to create special
effects.



Store Perimeter Lighting

Ceiling reflects light . . . selling
area illuminated by glareless light
. . . ceiling fixtures eliminated.


OTHER ANGLE-LITE INSTALLATIONS

S. S. KRESGE CO.
Richmond, Indiana
COLLEGE REST
Bethlehem, Pennsylvania
NUBERT'S STORE
Quaker Town, Pennsylvania
LINCOLN SCHOOL
Newton, Kansas
DE KALB FARM BUREAU
De Kalb, Illinois
VETERAN'S HOSPITAL
Salt Lake City, Utah
BUCKNELL UNIVERSITY
Lewisburg, Pennsylvania
REINER'S DEPARTMENT STORE
Steubenville, Ohio
JEWISH COMMUNITY CENTER
Wilkes-Barre Pennsylvania



Beauty and Barber Shops

Eliminate shadows, enhances com-
plexion, beauty. Install over mirror
or vertically on each side of mir-
ror for soft illumination.



↑
**USE IN ANY
POSITION**
↓



TRIC COMPANY

Ada Street


HU mboldt 9-0500

Flexibility

with Stock ANGLE-LITES



Use combinations of standard ANGLE-LITES as illustrated . . . for any installation. ANGLE-LITES operate efficiently when installed horizontally or vertically. Use three units for around-corner lighting; install back-to-back for ceiling mounting; four units mounted vertically for pillars of light; use in place of cove lighting. ANGLE-LITES available for one or two lamps, in following sizes and watt-ages: 14-watt, 15 1/8"; 15-watt, 18 1/8"; 20-watt, 24 1/8"; 30-watt, 36 1/8"; 40-watt, 48 1/8".

COMMERCIALITE unit gives effect of two ANGLE-LITES mounted with common back plate. Available with 2 or 4 40-watt lamps. CENTERLITE, same as Commercialite, available for 2 or 4 20-watt lamps.



SPECIFICATIONS . . . ANGLE-LITES and COMMERCIALITES

Finished with white baked-on plastic type enamels. (Special finishes; bronze, colored enamels; chrome ends available at small additional charge.) 20 gauge prime steel stock used in all ANGLE-LITES. Shields of Polystyrene 8 by Kopper's, .070" thick. Join end-to-end with chase nipples. 7/8" k.o.'s each end and center of back. Adequate space in wireway for several circuits. Wireway cover (reflector) snaps in place for easy access to electrical components . . . no screws to lose, no threads to strip. GE ballasts, approved starters. All ANGLE-LITES for permanent installation UL approved: All parts supplied by nationally known manufacturers who join Winfield in guaranteeing a perfect product. See current price list for model numbers, descriptions, shipping weights, and prices on complete ANGLE-LITE line.



Streamliner Kitchen Unit

by Winfield

Decorator designed for kitchen beauty . . . Engineered by lighting specialists . . . manufactured of finest materials for durability. Richly polished aluminum end caps create streamlined effect. Reflector finished with triple-coated baked-on white enamel for perfect light diffusion. Priced for quick turnover. Two and three lamp units.—See "K" series on price list for details and further information.

DISTRIBUTED BY:

GUARANTEE: All electrical components unconditionally guaranteed for one year against defects in workmanship and materials

Flexibility

**with Stock
ANGLE-LITES**

Use combinations of standard ANGLE-LITES as illustrated . . . for any installation. ANGLE-LITES operate efficiently when installed horizontally or vertically. Use three units for around-corner lighting; install back-to-back for ceiling mounting; four units mounted vertically for pillars of light in place of cone lighting.

two
att-
att,
att,

r of
om-
? or
ame
? or

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY

www.apti.org

For the

BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE
SPECIAL COLLECTIONS
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>

pecial-
ished
riple-

coated baked-on white enamel for perfect light diffusion. Priced for quick turnover. Two and three lamp units.—See "K" series on price list for details and further information.

DISTRIBUTED BY:

GUARANTEE: All electrical components unconditionally guaranteed for one year against defects in workmanship and materials